

— Catalogue

Brighten up  
the beauty of the world.

BULB

**2023**



We are full of great & talented people who passionate in their works to bring succesful.

# PAGE OF CONTENTS

---

LED BULB 05

---

LED BULB A-SHAPE 06

---

LED BULB T-SHAPE 10

---

LED NORMAL BULB 13

---

LED T5/T6 14

---


LED T8 15

---

LED NANO T8 17

---

CONTACT US 18



**Full series of light bulbs, Support customization, large factory processes, and reliable quality.**



# LED BULB


CCT:  2700-7000K

Voltage:  165-265V 50/60Hz



ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Actual Watt	Lumens
FY6-3W-C37	C37* 100	E27/E14	4	40*20*22	2.7-3.2W	300Lm
FY6-5W-C37	C37* 100	E27/E14	6	40*20*22	4.5W-5W	480Lm
FY6-7W-C37	C37* 100	E27/E14	8	40*20*24	6.5W-7W	650Lm
FY6-3W-G45	G45* 85	E27/E14	4	48*24*19	2.7-3.2W	300Lm
FY6-5W-G45	G45* 85	E27/E14	6	48*24*19	4.5W-5W	480Lm
FY6-7W-G45	G45* 85	E27/E14	8	48*24*19	6.5W-7W	650Lm

ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Actual Watt	Lumens
FY9-T37- 5W	T37* 91	E27	8	40*20*20.8	4.5W-5W	420 Lm
FY9-T37- 9W	T37* 111	E27	12	40*20*24.8	8.5W-9.5W	900 Lm
FY9-T44-15W	T44* 132	E27	32	47*23.5*29	13W-14W	1350Lm



ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Actual Watt	Lumens
FY8-T37- 9W	T37* 114	E27	12	40*20*25.5	8.5W-9.5W	850 Lm
FY8-T44-15W	T44* 136	E27	15	47*23.5*30	13W-14W	1300Lm
FY8-T37- 9W	T37* 114	G24	12	40*20*25.5	8.5W-9.5W	850 Lm
FY8-T44-15W	T44* 136	G24	15	47*23.5*30	13W-14W	1300Lm

ITEM	SIZE	Base	LED Chips	RA	Actual Watt	Lumens
5W	D50* 60	GU10	8	≥80	4.5W-5W	425Lm
7W	D50* 60	GU10	10	≥80	6.3W-7W	595Lm
5W	D50* 50	MR16	8	≥80	4.5W-5W	325Lm
7W	D50* 50	MR16	10	≥80	6.3W-7W	455Lm



# LED BULB A-Shape

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  165-265V 50/60Hz



## Specifications: DOB ( 25000 Hours )

ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY8-A50- 3W	A50* 88	4	52.5*26.5*19.5	100	260 Lm
FY8-A55- 5W	A55* 95	6	62.5*31.5*23.2	100	450 Lm
FY8-A60- 7W	A60* 108	9	62.5*31.5*23.2	100	650 Lm
FY8-A60- 9W	A60* 110	12	62.5*31.5*23.2	100	850 Lm
FY8-A65-12W	A65* 124	15	67.5*34*26.4	100	1050Lm
FY8-A70-15W	A70* 129	16	73*36.5*27	100	1350Lm
FY8-A80-18W	A80* 150	20	67*41.5*16	40	1600Lm
FY8-A90-21W	A90* 168	26	75*46.5*18.3	40	1850Lm
FY8-A90-24W	A90* 168	30	75*46.5*18.3	40	2150Lm

## Specifications: DOB ( 10000Hours )


ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY5-A50- 3W	A50* 88	4	52.5*26.5*19.5	100	240 Lm
FY5-A55- 5W	A55* 95	6	62.5*31.5*23.2	100	400 Lm
FY5-A60- 7W	A60* 108	9	62.5*31.5*23.2	100	560 Lm
FY5-A60- 9W	A60* 110	12	62.5*31.5*23.2	100	720 Lm
FY5-A65-12W	A65* 124	15	67.5*34*26.4	100	920 Lm
FY5-A70-15W	A70* 129	18	73*36.5*27	100	1150Lm
FY5-A80-18W	A80* 150	22	67*41.5*16	40	1380Lm
FY5-A90-21W	A90* 168	26	75*46.5*18.3	40	1600Lm
FY5-A90-24W	A90* 168	30	75*46.5*18.3	40	1850Lm

# LED BULB A-Shape

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  165-265V 50/60Hz



Specifications: ( 25000 Hours )				IC Driver	
ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
HL9-A45- 3W	A45* 85	6	47.5*24*19	100	320 Lm
HL9-A60- 5W	A55*110	6	62.5*31.5*23.2	100	550 Lm
HL9-A60- 7W	A60* 108	9	62.5*31.5*23.2	100	660 Lm
HL9-A60- 9W	A60* 110	12	62.5*31.5*24	100	880 Lm
HL9-A65-12W	A65*127	15	67.5*34*26.4	100	1200Lm
HL9-A70-15W	A70* 138	18	72.5*36.5*28.8	100	1500Lm
HL9-A80-18W	A80*150	22	67*41.5*16	40	1800Lm
HL9-A90-21W	A90* 168	26	75*46.5*18.3	40	2000Lm
HL9-A90-24W	A90* 168	30	75*46.5*18.3	40	2300Lm

Specifications: ( 15000 Hours )				IC Driver	
ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY6-A45- 3W	A45* 85	4	47.5*24*19	100	270 Lm
FY6-A50- 3W	A50* 88	4	52.5*26.5*19.5	100	270 Lm
FY6-A55- 5W	A55* 95	6	62.5*31.5*23.2	100	450 Lm
FY6-A60- 5W	A60* 108	6	62.5*31.5*23.2	100	450 Lm
FY6-A60- 7W	A60* 108	9	62.5*31.5*23.2	100	630 Lm
FY6-A60- 9W	A60*110	12	62.5*31.5*23.2	100	820 Lm
FY6-A60- 9W	A60* 112	12	62.5*31.5*24	100	820 Lm
FY6-A60-12W	A60* 118	15	62.5*31.5*25.2	100	1050Lm
FY6-A65-12W	A65* 124	15	67.5*34*26.4	100	1050Lm
FY6-A70-12W	A70* 129	15	73*36.5*27	100	1100Lm
FY6-A60-15W	A60* 122	18	62.5*31.5*26	100	1350Lm
FY6-A65-15W	A65* 127	18	67.5*34*26.8	100	1350Lm
FY6-A70-15W	A70* 129	18	73*36.5*27	100	1350Lm
FY6-A70-15W	A80* 144	18	66.5*41.5*15.5	40	1400Lm
FY6-A80-18W	A80*150	22	67*41.5*16	40	1620Lm
FY6-A90-21W	A90* 168	26	75*46.5*18.3	40	2000Lm
FY6-A90-24W	A90* 168	30	75*46.5*18.3	40	2300Lm




## LED BULB A-Shape

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  100-127V 50/60Hz



### Specifications:

ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY6-A55- 5W	A55* 95	6	57.5*29*20.6	100	350 Lm
FY6-A60- 7W	A60* 108	7	62.5*31.5*23.2	100	550 Lm
FY6-A60- 9W	A60*110	8	62.5*31.5*23.2	100	730 Lm
FY6-A60-12W	A60* 118	11	62.5*31.5*25.2	100	900 Lm
FY6-A65-15W	A65* 127	22	67.5*34*26.8	100	1200Lm

### Specifications:

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  220-240V 50/60Hz

ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY8-A55- 5W	A55* 95	7	52.5*26.5*19.5	100	450 Lm
FY8-A60- 7W	A60* 108	8	62.5*31.5*23.2	100	630 Lm
FY8-A60- 9W	A60*110	9	62.5*31.5*24	100	810 Lm
FY8-A60-12W	A60* 118	15	67.5*34*26.4	100	1050 Lm
FY8-A65-15W	A65* 127	22	67.5*34*26.8	100	1350Lm



# LED BULB A-Shape

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  100-265V 50/60Hz



## Specifications: (25000H)

ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens	PF
FY6-A45- 3W	A45* 85	4	47.5*24*19	100	270 Lm	0.5
FY6-A55- 5W	A55* 95	6	57.5*29*20.6	100	450 Lm	0.5
FY6-A60- 7W	A60*108	9	62.5*31.5*23.2	100	630 Lm	0.5
FY6-A60- 9W	A60*110	12	62.5*31.5*23.2	100	820 Lm	0.5
FY6-A60- 9W	A60*112	12	62.5*31.5*24	100	860 Lm	0.5
FY6-A60-12W	A60*118	15	62.5*31.5*25.2	100	1050Lm	0.5
FY6-A65-12W	A60*124	15	67.5*34*26.4	100	1080Lm	0.5
FY6-A65-15W	A65*127	18	67.5*34*26.8	100	1350Lm	0.5
FY6-A65-15W	A 65*132	18	72.5*36.5*28.8	100	1400Lm	0.5
FY6-A80-18W	A80*150	20	66.5*42*17	50	1600Lm	0.5

## Specifications: ( CE、CB; R9>0 ; ) (25000H)

ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens	PF
FY8-A55-4.8W	A55* 95	5	57.5*29*20.6	100	500 Lm	0.5
FY8-A60- 7W	A60*108	7	62.5*31.5*23.2	100	680 Lm	≥0.7
FY8-A60- 9W	A60*110	10	62.5*31.5*24	100	850 Lm	≥0.7
FY8-A60-12W	A60*122	15	67.5*34*26.8	100	1150Lm	≥0.7
FY8-A60-15W	A 60*128	18	67.5*34*26.8	100	1400Lm	≥0.7

## Specifications: ( CE、CB; R9>0 ; )

ITEM	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens	PF
FY5-A55-4.8W	A55* 95	5	57.5*29*20.6	100	450 Lm	0.5
FY5-A60- 7W	A60*108	7	62.5*31.5*23.2	100	600 Lm	≥0.7
FY5-A60- 9W	A60*110	9	62.5*31.5*24	100	810 Lm	≥0.7
FY5-A60-12W	A60*118	14	62.5*31.5*25.2	100	1050Lm	≥0.7
FY5-A65-15W	A65*127	18	67.5*34*26.8	100	1350Lm	≥0.7

## LED BULB T-Shape

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  100-265V 50/60Hz



### Specifications: (FY6-DOB-QTP)

ITEM	Actual Watt	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
T50 - 5W	4W-4.8W	T50 * 100	6	52.5*27*22.5	100	450 Lm
T60 - 9W	8.2W-9W	T60 * 118	10	62.5*32*26	100	820 Lm
T70 -13W	11.5W-13W	T70 * 127	14	72.5*37*28	100	1300Lm
T80 -18W	16W-18W	T80 * 147	20	50.5*41.5*32	60	1600Lm
T100-28W	25W-28W	T100* 173	30	51.5*41.5*37.4	40	2500Lm
T115-38W	32W-36W	T115* 196	40	60*48*43	40	3200Lm
T125-48W	40W-44W	T125* 228	54	65.5*52.3*25.5	20	3800Lm
T140-58W	46W-50W	T140* 248	64	75*45.6*28.3	15	4200Lm

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  100-265V 50/60Hz



### Specifications: (FY8-QTP)

ITEM	Actual Watt	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
T50 - 5W	4W-5W	T50 * 100	6	52.5*27*22.5	100	450 Lm
T60 -10W	8.2W-9W	T60 * 118	10	62.5*32*26	100	900 Lm
T70 -15W	13.5W-14.5W	T70 * 127	16	72.5*37*28	100	1300Lm
T80 -20W	18W-21W	T80 * 147	21	43*43*31.8	50	1800Lm
T100-30W	27W-30W	T100* 173	32	51.5*41.5*37.4	40	2800Lm
T125-40W	36W-40W	T125* 228	42	62*49.5*23.5	20	4000Lm
T140-50W	45W-50W	T140* 248	54	75*60.3*28.5	20	4600Lm

# LED BULB T-Shape

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  165-265V 50/60Hz



## Specifications:

ITEM	Actual Watt	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY6-T50 - 5W	4W-4.8W	T50*100	6	52.5*27*22.5	100	480 Lm
FY6-T60 - 9W	8W-9W	T60*118	10	62.5*32*26	100	900 Lm
FY6-T70 - 13W	11.5W-13W	T70*127	15	72.5*37*28	100	1300Lm
FY6-T80 - 18W	16.2W-18W	T80*147	20	50.5*41.5*32	60	1700Lm
FY6-T100-28W	25W-28W	T100*173	30	51.5*41.5*37.4	40	2600Lm
FY6-T115-38W	31W-33W	T115*196	40	60*48*43	40	3500Lm
FY6-T125-48W	40W-43W	T125*228	50	65.5*52.3*25.5	20	4200Lm
FY6-T140-58W	46W-50W	T140*248	60	75*45.6*28.3	15	4800Lm

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  165-265V 50/60Hz



## Specifications:

ITEM	Actual Watt	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
DOB-T50 - 5W	4W-4.8W	T50*100	6	52.5*27*22.5	100	450 Lm
DOB-T60 - 9W	8W-9W	T60*118	10	62.5*32*26	100	850 Lm
DOB-T70 - 13W	11.5W-13W	T70*127	15	72.5*37*28	100	1200Lm
DOB-T80 - 18W	16.2W-18W	T80*147	20	50.5*41.5*32	60	1600Lm
DOB-T100-28W	25W-28W	T100*173	32	51.5*41.5*37.4	40	2500Lm
DOB-T115-38W	33W-36W	T115*196	44	60*48*43	40	3200Lm
DOB-T125-48W	41W-45W	T125*228	56	65.5*52.3*25.5	20	4000Lm
DOB-T140-58W	48W-52W	T140*248	66	75*45.6*28.3	15	4600Lm



## LED BULB T-Shape

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  165-265V 50/60Hz



### Specifications:

ITEM	Actual Watt	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY4-T50- 5W	4.5W	T50 x 98	5	62.5x31.5x22	100	350 Lm
FY4-T60- 9W	7.5W	T60 x100	9	62.5x31.5x22	100	600 Lm
FY4-T70-13W	10W	T70 x112	13	72.5*36.5*24.5	100	750 Lm
FY4-T80-18W	14W	T80 x124	18	82.5x41.5x27	100	1200Lm
FY4-T100-28W	21W	T100x150	28	50.5x50.5x32	50	1600Lm
FY4-T112-38W	27W	T112x166	34	59.5*47.1*35.6	40	1900Lm
FY4-T120-48W	32W	T120x178	40	63x38.6x38	30	2200Lm
FY4-T135-60W	36W	T135x198	46	70.5x28.9x42.5	20	2550Lm

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  165-265V 50/60Hz



### Specifications:

ITEM	Actual Watt	SIZE	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY5-DOB-5W	5W±10%	T50*100	6	52.5*27*22.5	100	430Lm±10%
FY5-DOB-9W	9W±10%	T60*113	11	62.5*32*26	100	850Lm±10%
FY5-DOB-13W	13W±10%	T70*126	15	72.5*37*28	100	1200Lm±10%
FY5-DOB-18W	18W±10%	T80*155	22	50.5*41.5*32	60	1800Lm±10%
FY5-DOB-28W	28W±12%	T100*185	29	51.5*41.5*37.4	40	2600Lm±10%
FY5-DOB-38W	38W±15%	T115*205	44	60*48*43	40	3400Lm±10%
FY5-DOB-48W	48W±15%	T125*235	52	65.5*52.3*25.5	20	4300Lm±10%
FY5-DOB-58W	58W±20%	T140*248	56	75*45.6*28.3	15	4700Lm±10%

## LED Normal Bulb (PLASTIC)

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  220-240V 50/60Hz



### Specifications:

ITEM	Actual Watt	SIZE	LED Chips	Carton Size(cm)	Pcs/ CTN	Lumens
HL-RCP-A48- 3W	1.5W	A48* 55	6 (5630)	52.5x26.5x21.8	100	100Lm
HL-RCP-A55- 5W	2.5W	A55* 95	9 (5630)	52.5x26.5x21.8	100	150Lm
HL-RCP-A63- 7W	3.3W	A63*108	12 (5630)	62.5x31.5x22	100	200Lm
HL-RCP-A71- 9W	4.2W	A71*122	15 (5630)	52.5x26.5x21.8	100	240Lm
HL-RCP-A78-12W	5.0W	A78*135	18 (5630)	62.5x31.5x22	100	280Lm
HL-RCP-A87-15W	6.2W	A87*142	21 (5630)	72.5*36.5*24.5	100	320Lm
HL-RCP-A95-18W	6.6W	A95*143	24 (5630)	82.5x41.5x27	100	380Lm

## LED Normal Bulb (PLASTIC)

BASE:  E27  B22

CCT:  2700-7000K

Voltage:  220-240V 50/60Hz




### Specifications:

ITEM	Actual Watt	SIZE	LED Chips	Carton Size(cm)	Pcs/ CTN	Lumens
FY1-RCTP-T50- 5W	3.0W	T50 x 98	16 (2835)	52.5x26.5x21.8	100	165Lm
FY1-RCTP-T60- 8W	4.2W	T60 x100	24 (2835)	62.5x31.5x22	100	245Lm
FY3-RCTP-T50- 5W	3.3W	T50 x 98	10 (5630)	52.5x26.5x21.8	100	270Lm
FY3-RCTP-T60-10W	5.0W	T60 x100	14 (5630)	62.5x31.5x22	100	360Lm
FY3-RCTP-T70-15W	7.0W	T70 x112	18 (5630)	72.5*36.5*24.5	100	550Lm
FY3-RCTP-T80-20W	8.5W	T80 x124	24 (5630)	82.5x41.5x27	100	700Lm
FY3-RCTP-T100-30W	10W	T100x150	30 (5630)	50.5x50.5x32	50	860Lm

# LED GLASS TUBE T5/T6

CCT:  2700-7000K


Voltage:  165-265V 50/60Hz



ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens	PF
FY8-T5- 8W	549mm	G5	40 (2835/26)	59.5*16.5*13	30	800 Lm	0.5
FY8-T5-16W	1149mm	G5	80 (2835/26)	119.5*16.5*13	30	1600Lm	0.5
FY9-T5- 9W	549mm	G5	48 (2835/60)	59.5*14*13	25	1000Lm	0.5
FY9-T5-18W	1149mm	G5	96 (2835/60)	119.5*14*13	25	2100Lm	0.5
FY8-T6- 9W	549mm	G5	44 (2835/28)	59.5*17.5*14	30	900 Lm	0.5
FY8-T6-14W	549mm	G5	66 (2835/28)	89.5*17.5*14	30	1400Lm	0.5
FY8-T6-18W	1149mm	G5	88 (2835/28)	119.5*17.5*14	30	1800Lm	0.5
FY7-T6- 9W	600mm	G13	48 (2835/29)	59.5*15*14	25	1000Lm	0.5
FY7-T6-18W	1200mm	G13	96 (2835/29)	119.5*15*14	25	2000Lm	0.5

CCT:  2700-7000K


Voltage:  100-265V 50/60Hz



ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens	PF
T5- 8W	549 mm	G5	40 (2835/26)	59.5*16.5*13	30	800 Lm	0.5
T5-16W	1149mm	G5	80 (2835/26)	119.5*16.5*13	30	1600Lm	0.5
T5- 9W	549 mm	G5	48 (2835/60)	59.5*16.5*13	30	1000Lm	0.5
T5-18W	1149mm	G5	96 (2835/60)	119.5*16.5*13	30	2000Lm	0.5


CCT:  2700-7000K

Voltage:  100-265V 50/60Hz



ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens	PF
BX8-T5- 9W	549 mm	G5	54 (2835/28)	59.5*16.5*13	30	900 Lm	=0.9
BX8-T5-18W	1149mm	G5	110 (2835/28)	119.5*16.5*13	30	1850Lm	=0.9
BX9-T5-10W	549 mm	G5	54 (2835/60)	59.5*16.5*13	30	1000Lm	=0.9
BX9-T5-20W	1149mm	G5	110 (2835/60)	119.5*16.5*13	30	2000Lm	=0.9





# LED GLASS TUBE T8

CCT:  2700-7000K


Voltage:  165-265V 50/60Hz

**ECO**

ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY3-T8- 8W	60cm	G13	32 (2835/27/F)	63.6*21*16.5	30	600 Lm
FY3-T8-12W	90cm	G13	48 (2835/27/F)	93.6*21*16.5	30	900 Lm
FY3-T8-16W	120cm	G13	66 (2835/27/F)	124.5*21*16.5	30	1200Lm
FY3-T8- 9W	60cm	G13	36 (2835/27/F)	63.6*21*16.5	30	750 Lm
FY3-T8-18W	120cm	G13	72 (2835/27/F)	124.5*21*16.5	30	1550Lm

## Regular

ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY5-T8- 8W	60cm	G13	32 (2835/27)	63.6*21*16.5	30	700 Lm
FY5-T8-12W	90cm	G13	48 (2835/27)	93.6*21*16.5	30	1050Lm
FY5-T8-16W	120cm	G13	66 (2835/27)	124.5*21*16.5	30	1400Lm
FY5-T8- 9W	60cm	G13	36 (2835/27)	63.6*21*16.5	30	800 Lm
FY5-T8-18W	120cm	G13	72 (2835/27)	124.5*21*16.5	30	1600Lm
FY5-T8-10W	60cm	G13	38 (2835/27)	63.6*21*16.5	30	850 Lm
FY5-T8-10W	60cm	G13	48 (2835/27)	63.6*21*16.5	30	1000Lm
FY5-T8-15W	90cm	G13	58 (2835/27)	93.6*21*16.5	30	1200Lm
FY5-T8-20W	120cm	G13	76 (2835/27)	124.5*21*16.5	30	1700Lm
FY5-T8-20W	120cm	G13	96 (2835/27)	124.5*21*16.5	30	2000Lm
FY5-T8-24W	150cm	G13	100 (2835/27)	154.6*21*16.5	30	2300Lm
FY5-T8-40W	240cm	G13	192 (2835/27)	242*18.5*17.5	20	4000Lm



# LED GLASS TUBE T8

CCT:  2700-7000K


Voltage:  165-265V 50/60Hz

**Super**

ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
HL9-T8-10W	60cm	G13	48 (2835/62)	63.6*21*16.5	30	1250Lm
HL9-T8-20W	120cm	G13	96 (2835/62)	124.5*21*16.5	30	2500Lm
FY9-T8-15W	60cm	G13	60 (2835/62)	63.6*21*16.5	30	1600Lm
FY9-T8-21W	90cm	G13	90 (2835/62)	93.6*21*16.5	30	2200Lm
FY9-T8-30W	120cm	G13	120 (2835/62)	124.5*21*16.5	30	3500Lm

**Advance**

ITEM	SIZE	Base	LED Chips	Carton Size(cm)	Pcs/CTN	Lumens
FY7-T8-12W	60cm	G13	48 (2835/29)	63.6*21*16.5	30	1000Lm
FY7-T8-15W	90cm	G13	68 (2835/29)	93.6*21*16.5	30	1200Lm
FY7-T8-20W	120cm	G13	76 (2835/29)	124.5*21*16.5	30	1700Lm
FY7-T8-22W	120cm	G13	96 (2835/29)	124.5*21*16.5	30	2200Lm
FY7-T8-26W	120cm	G13	102 (2835/29)	124.5*21*16.5	30	2500Lm
FY7-T8-30W	120cm	G13	120 (2835/29)	124.5*21*16.5	30	3000Lm
FY7-T9-40W	120cm	G13	192(2835/29)	124.5*19*17.5	25	4000Lm
FY7-T10-50W	120cm	G13	240(2835/29)	124.5*20.5*19	25	5000Lm



## LED GLASS TUBE T8

ITEM	Voltage	SIZE	LED Chips	Pcs/CTN	Base	Lumens	PF
FY5-T8-9W	100-265V	60cm	36 (2835/27)	30	G13	780 Lm	0.5
FY5-T8-18W	100-265V	120cm	72 (2835/27)	30	G13	1550Lm	0.5
FY5-T8-10W	100-265V	60cm	44 (2835/27)	30	G13	850 Lm	0.5
FY5-T8-20W	100-265V	120cm	87 (2835/27)	30	G13	1700Lm	0.5
FY7-T8-10W	100-265V	60cm	44 (2835/29)	30	G13	1000Lm	0.5
FY7-T8-20W	100-265V	120cm	88 (2835/29)	30	G13	2000Lm	0.5
BX-T8-9W	100-240V	60cm	36 (2835/28)	30	G13	900Lm	≥0.92
BX-T8-18W	100-240V	120cm	72 (2835/28)	30	G13	1850Lm	≥0.92
BX-T8-38W	100-240V	240cm	152 (2835/28)	30	G13	3800Lm	≥0.92

## PC Nano TUBE T8

ITEM	Voltage	SIZE	LED Chips	Actual Watt	Base	Lumens	PCB
NM-T8-9W	165-265V	60cm	38 LED	8W - 9W	G13	850Lm	Soft
NM-T8-14W	165-265V	90cm	58 LED	12.6W-14W	G13	1300Lm	Soft
NM-T8-18W	165-265V	120cm	76 LED	16.2W-18W	G13	1650Lm	Soft
NM-T8-22W	165-265V	120cm	96 LED	20W-22W	G13	2000Lm	Aluminium
NM-T8-24W	165-265V	150cm	100 LED	21.6W-24W	G13	2200Lm	Aluminium
NM-QT8-9W	85-265V	60cm	38 LED	8W - 9W	G13	850Lm	Soft
NM-QT8-14W	85-265V	90cm	58 LED	12.6W-14W	G13	1300Lm	Soft
NM-QT8-18W	85-265V	120cm	76 LED	16.2W-18W	G13	1650Lm	Soft



BULB

## Contact Us

---



+86 - 177 6800 7167  
+86 - 195 2280 6612



led@lumset.com  
www.lumset.com



No.1 Building, Block 9, Yongyi  
2nd Road, Zhongshan, Guang-  
dong Province.